RECEIVED
CENTRAL FAX CENTER

FEB 2 2 2005

EXHIBIT E

SHEET1

DRAWING IS TO SCALE

Robert de Sylva: 310-452-4579, 310-452-1003 310-702-7627, 310-470-4409

House


Outside Tube: 3.0" OD, 1/8" wall. Inside Tube: 1.0" OD, 1/8" wall.


Filter: 1.0" ID, 2.5"OD

Washers: 2 7/8" OD, 2 3/4" ID, 1/16" thick. 1 1/8" OD, 3/4" " ID, 1/16" thick.

.093 Thread according to supplied vent valve. 9 1/8" 1/16" 6/16" 5/8" 3/16" 🎗 1062 Mounting Grooves 5/16" X 1/16" 1/8" 4 15/46" Thread or texture inside of pipe according to supplied drain fitting. ,062 1/8" Fine Thread 1/16" I 5 mal lipe Thread according to supplied fitting.

PAGE 19/27 * RCVD AT 2/22/2005 2:30:17 PM [Eastern Standard Time] * SVR:USPTO-EFXRF-1/9 * DNIS:8729314 * CSID:3104528166 * DURATION (mm-ss):12-40 7 45





PAGE 22/27 * RCVD AT 2/22/2005 2:30:17 PM [Eastern Standard Time] * SVR:USPTO-EFXRF-1/9 * DNIS:8729314 * CSID:3104528166 * DURATION (mm-ss):12-40

E, SHEET 5

THREAD SIZE ESTIMATE

Robert de Agrico
Part ness:

200

Bevel or roughen edges for gripping (end cap only). 1/4" 3/16" 7/32" .218 **1/32**" |⇔| 1/64" + 062.280 9/128"

PAGE 23/27 * RCVD AT 2/22/2005 2:30:17 PM [Eastern Standard Time] * SVR:USPTO-EFXRF-1/9 * DNIS:8729314 * CSID:3104528166 * DURATION (mm-ss):12-40